

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/606,226	06/26/2003	Hideaki Watanabe	024016-00063	3751	
4372	7590 01/19/2006	EXAMINER			
ARENT FOX PLLC 1050 CONNECTICUT AVENUE, N.W. SUITE 400 WASHINGTON, DC 20036			NGUYE	NGUYEN, HIEP	
			ART UNIT	PAPER NUMBER	
			2816		
			DATE MAILED: 01/19/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		<i>نظ</i>
	Application No.	Applicant(s)
	10/606,226	WATANABE, HIDEAKI
Office Action Summary	Examiner	Art Unit
	Hiep Nguyen	2816
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet with th	e correspondence address
A SHORTENED STATUTORY PERIOD FOR REI WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions of the period for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATI 1.136(a). In no event, however, may a reply be iod will apply and will expire SIX (6) MONTHS fr tute, cause the application to become ABANDO	ON. The timely filed Tom the mailing date of this communication. TOMED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 10	November 2005.	
2a) ☐ This action is FINAL . 2b) ☑ T	his action is non-final.	
3) Since this application is in condition for allow	wance except for formal matters,	prosecution as to the merits is
closed in accordance with the practice unde	er Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.
Disposition of Claims		
4)⊠ Claim(s) <u>1,3,5-12 and 23</u> is/are pending in t	he application.	
4a) Of the above claim(s) is/are withd	Irawn from consideration.	
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1,3,5-12 and 23</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction and	d/or election requirement.	
Application Papers		
9)☐ The specification is objected to by the Exam	iner.	
10)⊠ The drawing(s) filed on 26 June 2003 is/are:	a)⊠ accepted or b)☐ objected	to by the Examiner.
Applicant may not request that any objection to t	he drawing(s) be held in abeyance.	See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the corr	•	·
11)☐ The oath or declaration is objected to by the	Examiner. Note the attached Offi	ice Action or form PTO-152.
Priority under 35 U.S.C. § 119		
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:	ign priority under 35 U.S.C. § 119	(a)-(d) or (f).
1. Certified copies of the priority docume	ents have been received.	
2. Certified copies of the priority docume	ents have been received in Applic	ation No
Copies of the certified copies of the p	riority documents have been rece	ived in this National Stage
application from the International Bur	, , , ,	
* See the attached detailed Office action for a l	ist of the certified copies not rece	ived.
Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Summa	
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/ 	Paper No(s)/Mail	al Patent Application (PTO-152)
Paper No(s)/Mail Date	6) Other:	

Application/Control Number: 10/606,226

Art Unit: 2816

VL.

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1, 3, 5-11 and 23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Correction and/or clarification is required.

Regarding claim 1, the recitation "the counter, the subtracter, the control voltage generation circuit and the voltage control oscillator circuit having response characteristics such that....and before the start of a succeeding counting period" on lines 16-20 is indefinite because it is confusing. The output frequency changes with the analog control voltage (AV) thus, inherently during a period of the reference clock signal the output frequency always changes with the values of the analog control voltage (AV) regardless of the low/high level of the reference clock. It is not clear what the "integrated value of the difference value" (also in claims 3, 5, 6, 7, 11 and 23), "the end of the counting period" and "the start of the succeeding counting period" are meant by. Figures 3 and 4 of the present application show that the frequency of the output clock signal (ST) changes when the reference clock signal is at both low and high levels.

Regarding claim 3, the recitation "the counter, the subtracter, ... and before the start of the succeeding low level period" on lines 15-20 is indefinite because it is confusing. It is not clear what the "a <u>certain High level period"</u>, "the end of the High level period", "start of the next high level period", "the characteristic in which when the count value obtained by counting during a <u>certain Low level period is changed from a preceding count value</u>, the frequency of the output clock signal is changed after the <u>end of the Low level period</u> and before the <u>start of the succeeding Low level period</u>" are meant by. Figures 3 and 4 of the present application simply show that the output clock signal (ST) changes during the <u>low or high level of the reference clock signal</u> (SR). Clear explanation is required.

Application/Control Number: 10/606,226

Art Unit: 2816

Regarding claim 5, the recitation "wherein the counter delivers the count value after the end of the counting period and in synchronization with the output clock signal" on lines 13-14 is indefinite because it is misdescriptive. In fact, every the counter delivers the count value during the counting period and after the end of the counting period, the counter stops counting.

Regarding claim 6, the recitation "the counter counts <u>each rising edge</u>and <u>each falling edge</u>as the effective transition edges of the output clock signal" on lines 14-17 is indefinite because it is misdescriptive. Figure 3 of the present application and the specification, page 10, first paragraph show that the counter counts a clock signal based <u>only on the rising edge</u> of the clock signal. The counter cannot count a clock signal based on <u>both rising and falling edges</u> of the clock signal as recited. It is not clear what the "<u>effective transition</u> edges of the output clock signal is meant by".

Claims 8-10 are indefinite because of the technical deficiencies of claim 7.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 3 and 5-12 are rejected under 35 U.S.C. 102(b) as being anticipated by Kokubo et al. (US Pat. 5,928,208).

Regarding claim 1, figures 4 and 11 of Kokubo show a clock multiplication circuit for delivering an output clock signal at a frequency that is a multiple of the frequency of a reference clock signal as inputted, the clock multiplication circuit comprising:

a counter (5) for delivering a count value (Nv) by counting the number of effective transition edges of the output clock signal, existing during a predetermined counting period given on the basis of the reference clock signal (fref);

a subtracter (17) for delivering a difference value obtained by subtracting either the count value or a reference value from the other;

Application/Control Number: 10/606,226

Art Unit: 2816

a control voltage generation circuit (18, 9, 4) for delivering an analog control voltage (Vr) corresponding to an integrated value of the difference value; and

a voltage control oscillator circuit (1) for delivering the output clock signal at a frequency corresponding to the analog control voltage (Vr). Figures 4 and 11 of Kokubo shows that the counter (5) delivers a count value (Nv) by counting the number of the effective transition edges of the output clock signal (fout) existing during counting period when the reference clock signal (fref) is either at high level or low level, the counter (5), the subtracter (17), control voltage generation circuit (18, 9, 4) and the voltage control oscillator circuit (1) having response characteristic such that when the control value (Nv) is changed from a preceding count value, the frequency of the output clock signal is changed after the end of the counting period and before the start of a succeeding counting period. Note that in figure 4, lines (B) and (C) shows that the count value (Nv) changes at the end of the counting period and before the start of a succeeding counting period (B is high) and at these moments, the count value changes (col. 4, lines 1-17) thus, the frequency of the output clock signal changes. Note that figure 4 shows that when the reference clock signal (fref) is a Low level, the count (Nv) changes thus, the output clock signal changes.

Regarding claim 3, figures 4 and 11 of Kokubo show a clock multiplication circuit comprising: a counter (5), a subtracter (17), a control voltage generation circuit (18, 9, 4) and a voltage control oscillator circuit (1). The counter (5) generates a count value (Nv) at the end of the high level period of the reference clock signal (fref). Note that figure 4 shows that when the reference clock signal (fref) is a High level, the count (Nv) changes thus, the output clock signal changes fro the preceding count value.

Regarding claims 6-9, figures 4, 11 and 8 of Kokubo show a clock multiplication circuit for delivering an output clock signal that is a multiple of a reference clock signal comprising: a counter (5), a subtracter (17), a control voltage generation circuit (18, 9, 4) generating the analog control voltage (Vr), a voltage control oscillator circuit (1). Counter (5) generates a count value (Nv) in synchronism with the output clock signal (fout). Subtracter (17) generates the difference value after the end of the counting period. The control voltage generation circuit generates the analog control voltage (Vr) after the end of the counting period and in synchronism with the output clock signal. The reference clock (fref) is the clock

Art Unit: 2816

for the counter (5). The counter counts the frequency of the output clock (fout) that includes low and high level or in other word, including falling/rising edges. The multiplier (10, 18) comprises a shift register (18). The factor of the multiplier depends on a factor that is the bits of the subtracter (17) thus this factor is variable (col. 7, lines 4-11).

Regarding claim 10-12, the factor control means is element (10). The value of the factor varies by closing or opening switches (SW3) and (SW4) in figure 8. Controller (10) initializes the multiplier (18) with different digital values (col. 3 lines 60-64). The storage means is element (11). In claim 11, the subtracter (11) is capable of switching the reference value (N) (col. 7, lines 22-29). Memory device (6) stores the reference value (col. 3, lines 23-25).

Regarding claim 23, figure figures 4 and 11 of Kokubo show a clock multiplication circuit for delivering an output clock signal at a frequency that is a multiple of the frequency of a reference clock signal as inputted, the clock multiplication circuit comprising:

a counter (5), a subtracter (17), a control voltage generation circuit (4,9,18); the counter (5) counts the effective edged of the output clock signal (fout) during a counting period when the reference clock (fref) is at a low level (fig. 4); and when the reference clock is at high level, the count value is changed from a preceding count value after the end of the counting period and before the start of the a succeeding counting period (col. 3, lines 13-22, col. 4, lines 1-13.

Allowable Subject matter

Claim 5 would be allowable because the prior art of record (USP. 5,982,208) fails to teach or suggest a clock multiplication circuit for delivering an output clock signal at a frequency that is a multiple of the frequency of a reference clock signal as inputted comprising a counter, a subtracter, a control voltage generation circuit that function in synchronism with an output clock signal.

Page 6

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hiep Nguyen whose telephone number is (571) 272-1752. The examiner can normally be reached on Monday to Friday from 7:30am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on (571) 272-1740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hiep Nguyen

01-10-06

TUANT.LAM
PRIMARY EXAMINER